

OUTSIDE CORNER WITH CORNER BEAD

SECUROCK® EXOAIR® 430

PAPER BACKING, BY OTHERS

OPTIONAL 1" MAX. EPS OR XPS INSULATION, BY OTHERS (SEE NOTE 3)

METAL PLASTER BASE AS SPECIFIED, BY OTHERS

STUCCOAT ONE COAT BASE, 3/8" MIN.

STANDARD REINFORCING MESH EMBEDDED IN STUCCOAT CRACK ISOLATION MEMBRANE

DRYVIT PRIMER, AS SPECIFIED OR REQUIRED

WEATHERLASTIC® FINISH

TREMCO DYMONIC® 100 OR TREMCO EXOAIR® 110AT (SEE NOTE 1)

CORNER BEAD, BY OTHERS

TREMCO DYMONIC® 100 OR TREMCO EXOAIR® 110AT (SEE NOTE 1)

SECUROCK® EXOAIR® 430

OPTIONAL 1" MAX. EPS OR XPS INSULATION, BY OTHERS (SEE NOTE 3)

PAPER BACKING, BY OTHERS

METAL PLASTER BASE AS SPECIFIED, BY OTHERS

STUCCOAT ONE COAT BASE, 3/8" MIN.

STANDARD REINFORCING MESH EMBEDDED IN STUCCOAT CRACK ISOLATION MEMBRANE

DRYVIT PRIMER, AS SPECIFIED OR REQUIRED

WEATHERLASTIC® FINISH

TYPICAL OUTSIDE CORNER WITHOUT CORNER BEAD

NOTE:

1. REFER TO PRODUCT DATA SHEETS FOR SPECIFIC APPLICATION METHODS.

2. WALL ASSEMBLY SHALL PROVIDE FOR A MAXIMUM DESIGN DEFLECTION OF L/360.

3. OPTIONAL CONTINUOUS INSULATION BOARD SHALL HAVE MINIMUM 1/4" WIDE x 1/8" DEEP GROOVES SPACED 12" ON CENTER. GROOVES SHALL BE ORIENTATED VERTICALLY WHEN INSTALLED. JOINTS SHALL BE 1/8" OR LESS AND CLOSED ON THE EXTERIOR SIDE USING MINIMUM 2 3/8" WIDE FIBERGLASS MESH TAPE.

The architecture, engineering, and design of the project using the Tremco CPG Inc. and USG products are the responsibility of the project's design professional. All products and systems must comply with local building codes and standards. This detail is for general information and guidance only and Tremco CPG Inc. and USG specifically disclaims any liability for the use of this detail. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent detail is best suited for the project. This detail is subject to change without notice. Contact Tremco CPG Inc. to ensure you have the most recent version.



Dryvit Technical Support: 800-556-7752

StucCoat One Coat® Securock® ExoAir 430 System



Technical Support: 866-209-2404

Detail: Outside Corner

Drawn by: KAB

Checked by: BD/CB

Scale: NTS

Date: 4/2023

File Name:

SCOC CI SE430 10



www.tremcocpg.com