SAFETY DATA SHEET



Revision Date 09-May-2017 **Version** 1

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Dryflex® Product code 011011

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Restricted to professional users

Restrictions on use No information available

Uses advised against Not suitable for use in homeworker (DIY) applications

1.3 Details of the supplier of the safety data sheet

Supplier Dryvit Systems, Inc.

One Energy Way

West Warwick, RI 02893

(401) 822-4100

E-mail Address ehs@dryvit.com

1.4 Emergency telephone number

Emergency telephone number Chemtrec: +1 703-527-3887 ex-USA

Chemtrec: 1-800-424-9300 USA

2. Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.122)

Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1A

2.2 Label elements

Signal Word

Danger

Hazard Statements

May cause genetic defects May cause cancer



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

2.3. Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

2.4 Other information

Not Applicable

Unknown Acute Toxicity No information available

3. Composition/Information on Ingredients

Substance Mixture

Chemical Name	CAS-No	Weight %
Crystalline silica (Quartz) (Respirable)	14808-60-7	30 - 40%
Ethylene oxide	75-21-8	0 - 10%
HYDROCARBON DISTILLATE	64742-65-0	0 - 10%

^{*}The specific chemical identity and/or exact percentage (concentration) of this composition has been witheld as a trade secret.

4. First aid measures

4.1 Description of first-aid measures

General advice If symptoms persist, call a physician.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician if irritation develops or persists.

Skin contact Immediate medical attention is not required. Call a physician if irritation develops or

persists.

Inhalation Immediate medical attention is not required. Get medical attention if symptoms occur. Call a

physician if irritation develops or persists.

Ingestion If swallowed, do not induce vomiting - seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician No information available.

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None.

5.2 Special hazards arising from the substance or mixture

Special Hazard

No information available.

Hazardous Combustion Products No information available.

Explosion Data

Sensitivity to Mechanical Impact No information available. Sensitivity to Static Discharge No information available.

5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal protection needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the training and the expertise of employees in the area responding to the spill.

6.2 Environmental precautions

Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological information.

6.3 Methods and materials for containment and cleaning up

Methods for Containment Spills and leaks are not likely. Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Store in

accordance with local regulations. Keep from freezing.

Materials to Avoid Strong oxidizing agents. Strong acids. Strong bases.

8. Exposure controls/personal protection

8.1 Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TW AEV
Crystalline silica	TWA: 0.025 mg/m ³	: (30)/(%SiO2 + 2)	TWA: 0.025 mg/m ³	TWA: 0.025 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.10 mg/m ³
(Quartz) (Respirable)	respirable fraction	mg/m3 TWA total				
14808-60-7		dust				
		: (250)/(%SiO2 +				
		5) mppcf TWA				
		respirable fraction				
		: (10)/(%SiO2 + 2)				
		mg/m³ TWA				
		respirable fraction				
Ethylene oxide	TWA: 1 ppm	TWA: 1 ppm	TWA: 0.1 ppm	TWA: 1 ppm	TWA: 1 ppm	TWA: 1 ppm
75-21-8		STEL: 5 ppm see	STEL: 1 ppm	TWA: 1.8 mg/m ³	TWA: 1.8 mg/m ³	TWA: 1.8 mg/m ³
		29 CFR 1910.1047	Adverse			STEL: 10 ppm
			reproductive effect			STEL: 18 mg/m ³

8.2 Appropriate engineering controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

8.3 Individual protection measures, such as personal protective equipment

Eye/Face Protection If splashes are likely to occur, wear:. Tightly fitting safety goggles.

Skin and body protection Wear protective gloves/ protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene measures See section 7 for more information

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties
Physical state Liquid

Appearance Viscous liquid Color Off-white Gray or Colored

liguid

Odor Threshold Odor Faint No information available

Property <u>Values</u> Remarks • Methods

pН >8

Melting/freezing point No information available

Boiling point/boiling range > 100 °C

Flash Point No information available no data available

Evaporation rate

Flammability (solid, gas) No information available

Flammability Limits in Air

upper flammability limit No information available lower flammability limit No information available Vapor pressure No information available No information available

Vapor density **Specific Gravity** 0.96 - 1.80 g/cc

Water solubility Soluble in water

Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature**

Decomposition temperature

Viscosity, kinematic No information available Viscosity, dynamic No information available

No information available **Explosive properties Oxidizing Properties** No information available

9.2 Other information

Volatile organic compounds (VOC) 1.11 g/l

content

8.0-15.0 lb/gal Density

10. Stability and Reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to Avoid

Do not freeze. To avoid thermal decomposition, do not overheat.

10.5 Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

10.6 Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors.

11. Toxicological information

11.1 Acute toxicity

Numerical measures of toxicity: Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Unknown Acute Toxicity No information available

Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Crystalline silica (Quartz)	500 mg/kg (Rat)	-	-
(Respirable)			
14808-60-7			
Ethylene oxide	72 mg/kg (Rat)	-	= 800 ppm (Rat) 4 h
75-21-8			

11.2 Information on toxicological effects

Skin corrosion/irritation

ProductInformation

• No information available

ComponentInformation

• No information available

Serious eye damage/eye irritation

ProductInformation

· No information available

ComponentInformation

· No information available

Respiratory or skin sensitization

ProductInformation

• No information available

ComponentInformation

· No information available

Germ cell mutagenicity

ProductInformation

Mutagenic

ComponentInformation

No information available

Carcinogenicity

ProductInformation

• The table below indicates whether each agency has listed any ingredient as a carcinogen ComponentInformation

•

	Chemical Name	ACGIH	IARC	NTP	OSHA
	Crystalline silica (Quartz)	A2	Group 1	Known	
	(Respirable)				
L	14808-60-7				
	Ethylene oxide	A2	Group 1	Known	
	75-21-8		Group 2A		

HYDROCARBON	A2	Group 1	-	
DISTILLATE				
64742-65-0				

Reproductive toxicity

<u>ProductInformation</u>

- No information available
- ComponentInformation
- · No information available

STOT - single exposure

No information available

STOT - repeated exposure

No information available

Other adverse effects

ProductInformation

- No information available
- ComponentInformation
- No information available

Aspiration hazard

ProductInformation

- No information available
- ComponentInformation
- · No information available

12. Ecological information

12.1 Toxicity

Ecotoxicity No information available

Ecotoxicity effects

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Ethylene oxide	-	LC50: 96 h Pimephales promelas	LC50: 48 h Daphnia magna 137 -
75-21-8		73 - 96 mg/L	300 mg/L
HYDROCARBON DISTILLATE	-	LC50: 96 h Oncorhynchus mykiss	EC50: 48 h Daphnia magna 1000
64742-65-0		5000 mg/L	mg/L

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Discharge into the environment must be avoided

Discharge into the childrent mast be avoided	
Chemical Name	log Pow
Ethylene oxide	-0.3
75-21-8	

12.4 Mobility in soil

No information available.

12.5 Other adverse effects

No information available

13. Dis	posal Consi	derations

13.1 Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOTNot regulatedMEXNot regulatedIMDGNot regulatedIATANot regulated

15. Regulatory information

15.1 International Inventories

TSCA DSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS NZIOC -

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances **IECSC**

- China Inventory of Existing Chemical Substances KECL -

Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

15.2 U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
Ethylene oxide	0.1
75-21-8	

15.3 Pesticide Information

Not applicable

15.4 U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
Crystalline silica (Quartz) (Respirable) - 14808-60-7	Carcinogen

Ethylene oxide - 75-21-8	Carcinogen Developmental Female Reproductive Male Reproductive
Titanium dioxide - 13463-67-7	Carcinogen
Aluminium magnesium silicate - 12174-11-7	Carcinogen
1,4-DIOXANE - 123-91-1	Carcinogen
Formaldehyde - 50-00-0	Carcinogen

16. Other information

NFPA Health Hazard 1 Flammability 0 Instability 0 Physical and chemical

hazards *

HMIS Health Hazard 1 Flammability 0 Physical Hazard 0 Personal protection B

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S*)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

TWA (time-weighted average)

Revision Date 01-Mar-2017

Revision Note

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet